

## **REMARKS**

Reconsideration is respectfully requested.

Entry of the above amendments is courteously requested in order to place all claims in this application in allowable condition and/or to place the non-allowed claims in better condition for consideration on appeal.

### **Paragraph 1 of the Office Action**

Claim 13 has been objected to for the informalities noted in the Office Action.

Claim 13 has been cancelled, and therefore the objection to claim 13 is submitted to be moot.

### **Paragraphs 2 through 7 of the Office Action**

Claims 1 through 3 and 15 through 18 have been rejected under 35 U.S.C. §102(b) as being anticipated by Aragona for substantially the same reasons stated in the first Office Action.

Claims 4 through 7 have been rejected under 35 U.S.C. Section 103(a) as being unpatentable over Aragona as applied to claim 1 above, and further in view of Yasui for substantially the same reasons stated in the first Office Action.


Claims 8 through 14 have been rejected under 35 U.S.C. Section 103(a) as being unpatentable over Aragona as applied to claim 1 above, and further in view of Shepherd.

Claim 19 has been rejected under 35 U.S.C. Section 103(a) as being unpatentable over Aragona as applied to claim 1 above, and further in view of Daniels for substantially the same reasons stated in the first Office Action.

Claims 1 through 19 have been cancelled, and therefore the §102(b) and §103(a) rejections of claims 1 through 19 are submitted to be moot.

### **Paragraph 8 of the Office Action**

Claim 20 has been allowed.



**VERSION WITH MARKINGS TO SHOW CHANGES MADE:**

**In the Claims** (bracketed parts deleted and underlined parts added):

Cancel claims 1 through 19.

1           20. (Allowed) A fish luring system for luring fish to a lure  
2 attached to an end of a fishing line, said system comprising:  
3           a fishing pole having a rod portion and a handle portion, said  
4 rod portion having a first end and a second end, said second end of  
5 said rod portion having a channel extending into said rod portion,  
6 said channel extending along a longitudinal axis of said rod portion;  
7           said handle portion being mounted on said second end of said  
8 rod portion, said handle portion having an interior with an open end  
9 extending into said interior of said handle portion;  
10          said interior of said handle being in communication with said  
11 channel extending through said rod portion of said fishing pole;  
12          a protruding member for selectively supporting a finger of a  
13 user, said protruding member extending away from a peripheral wall  
14 of said handle portion;  
15          said protruding member having a width tapering from said  
16 handle portion toward an end of said protruding member;  
17          a cap for selectively closing said open end of said handle  
18 portion, said cap having an inner surface;  
19          said inner surface of said cap being threadedly coupled to an  
20 outer surface of said handle portion adjacent to said open end of  
21 said handle portion;  
22          a plurality of eyelets being mounted on said rod portion, each  
23 of said eyelets being spaced apart from each other, each of said  
24 eyelet being in registration with each of the other;  
25          a vibrating assembly for vibrating said fishing pole, said  
26 vibrating assembly including:

27 a motor adapted for rotational movement, said motor being  
28 mounted in said interior of said handle portion;  
29 a motor shaft being rotatably coupled to and extending from  
30 said motor toward said first end of said rod portion, said motor  
31 shaft being elongated and positioned in said channel in said rod  
32 portion;  
33 said motor shaft comprising a substantially rigid material;  
34 a cam being formed on an end of said motor shaft for  
35 selectively engaging an inner surface of said channel of said rod  
36 portion of said fishing pole;  
37 said end of said motor shaft mounted on said cam being  
38 positioned generally adjacent to a central portion of said cam such  
39 that said cam travels in an eccentric circle when rotated by said  
40 motor shaft, wherein said cam selectively engages said inner surface  
41 of said channel in said rod portion of said fishing rod, wherein said  
42 cam causes said first end of said rod portion to vibrate, wherein  
43 vibration of said first end of said rod portion vibrates the fishing  
44 line and an attached lure;  
45 said cam comprising a substantially rigid material;  
46 a power supply for selectively providing power to said motor,  
47 said power supply being mounted in said interior of said handle  
48 portion, said power supply being electrically connected to said  
49 motor;  
50 a biasing member for selectively biasing said power supply  
51 away from an interior of said cap, said biasing member being  
52 attached to a bottom surface of said cap and positioned generally  
53 between said cap and said power supply; and  
54 a switch for selectively controlling said motor, said switch  
55 being depressibly mounted on said protruding portion, said switch  
56 being electrically connected to said motor.



### CONCLUSION

In light of the foregoing amendments and remarks, early reconsideration and allowance of this application are most courteously solicited.

Respectfully submitted,

Date: 4/2/03

Ivar M. Kaardal (Reg. No. 29,812)  
KAARDAL & ASSOCIATES, P.C.  
3500 South First Avenue Circle, Suite 250  
Sioux Falls, SD 57105-5802  
(605)336-9446 FAX (605)336-1931  
e-mail patent@kaardal.com